
990 Response to a Load Tender

Functional Group=**GF**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Response to a Load Tender Transaction Set (990) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide general information relative to a specific shipment. The Response to a Load Tender is used as the response to a Motor Carrier Shipment Information Transaction Set (204) which has been used as a load tender.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>
010	ST	Transaction Set Header	M	1		
020	B1	Beginning Segment for Booking or Pick-up/Delivery	M	1		
030	N9	Reference Identification	O	1		
050	V9	Event Detail	O	10		
070	SE	Transaction Set Trailer	M	1		

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Rep</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	1
ST02	329	Transaction Set Control Number	M	AN	4/9	1

B1 Beginning Segment for Booking or Pick-up/Delivery

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

Purpose: To transmit identifying numbers, dates, and other basic data relating to the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Rep</u>
B101	140	Standard Carrier Alpha Code	O	ID	2/4	1
B102	145	Shipment Identification Number	M	AN	1/30	1

N9 Reference Identification

Pos: 030	Max: 1
Heading - Optional	
Loop: N/A	Elements: 2

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Rep</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	1
CodeList Summary (Total Codes: 1503, Included: 1)						
		<u>Code</u> <u>Name</u>				
		2I Tracking Number				
N902	127	Reference Identification	C	AN	1/30	1

V9 Event Detail

Pos: 050	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

Purpose: To specify information about a specific event

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Rep</u>
V901	304	Event Code	M	ID	3/3	1
CodeList Summary (Total Codes: 104, Included: 2)						
<u>Code</u> <u>Name</u>						
ACC Accepted						
DEC Declined						
V912	61	Free-Form Message	O	AN	1/30	1

SE Transaction Set Trailer

Pos: 070	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Rep</u>
SE01	96	Number of Included Segments	M	NO	1/10	1
SE02	329	Transaction Set Control Number	M	AN	4/9	1