## 945 Warehouse Shipping Advice

X12/V4010/945 : 945 Warehouse Shipping Advice

## Version: 1.0 Final

Author: Company: Publication: Trading Partner: cwachtel OpenText 2/21/2023 Co-Manufacturers and Co-Packers

# 945 Warehouse Shipping Advice

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Warehouse Shipping Advice Transaction Set (945) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used by the warehouse to advise the depositor that shipment was made. It is used to reconcile order quantities with shipment quantities.

#### Heading:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<b>Repeat</b>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	М	1			Must use
020	W06	Warehouse Shipment Identification	Μ	1			Must use
LOOP	ID - 0100				<u>10</u>		
040	N1	Name	М	1			Must use
090	N9	Reference Identification	М	10			Must use
110	G62	Date/Time	0	5			Must use
130	W27	Carrier Detail	0	1			Used
150	W10	Warehouse Additional Carrier Information	0	10			Not used

#### Detail:

Pos	<u>ld</u>	Segment Name	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP	ID - 0300				<u>&gt;1</u>		
005	LX	Assigned Number	0	1			Used
010	MAN	Marks and Numbers	0	>1			Used
LOOP	ID - 0310				<u>&gt;1</u>		
020	W12	Warehouse Item Detail	0	1			Must use
040	N9	Reference Identification	0	200			Used

#### Summary:

Pos	ld	Segment Name	Req	<u>Max Use</u>	<b>Repeat</b>	<u>Notes</u>	<u>Usage</u>
010	W03	Total Shipment Information	0	1			Used
020	SE	Transaction Set Trailer	М	1			Must use

### **ST** Transaction Set Header

Pos: 010 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

#### User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	Туре	<u>Min/Max</u>	<u>Usage</u>			
ST01	143	Transaction Set Identifier Code	Μ	ID	3/3	Must use			
		Description: Code uniquely identifying a Transaction Set							
		Code List Summary (Total Codes: 298, Included: 1)							
		Code Name							
		945 Warehouse Shipping Advice							
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use			
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set							
		Hershey Description:							
		Assigned unique control number							

#### Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

#### **Example:**

ST\*945\*287820001

# W06 Warehouse Shipment Identification

Pos: 020 Max: 1 Heading - Mandatory Loop: N/A Elements: 5

User Option (Usage): Must use

Purpose: To provide identifying numbers, dates, and other basic data for this transaction set

### **Element Summary:**

<u>Ref</u> W0601	<u>ld</u> 514	<u>Element Name</u> Reporting Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 1/1	<u>Usage</u> Must use		
		Description: Code specifying the basis use	ed when	reporting	shipment info	ormation		
		Code List Summary (Total Codes: 13, Inc	luded: 3	)				
		<u>Code</u> <u>Name</u> F Full Detail						
		J Original Transaction						
		P Production Receipt, Full Detail						
		Hershey Usage:						
		'J' is used for 1st EDI 945 as Origir 'P' is used for 2nd EDI 945 as Cha						
W0602	285	Depositor Order Number	0	AN	1/22	Used		
		Description: Identifying number for warehouse shipping order assigned by the depositor						
		Hershey Description:						
		Hershey Delivery Number						
W0603	373	Date	0	DT	8/8	Must use		
		Description: Date expressed as CCYYMN	IDD					
		Hershey Description:						
		Actual ship date (CCYYMMDD)						
W0604	145	Shipment Identification Number	0	AN	1/30	Used		
		<b>Description:</b> Identification number assigner identifies the shipment from origin to ultima (Does not contain blanks or special charact	te destir					
W0606	324	Purchase Order Number	0	AN	1/22	Must use		
		Description: Identifying number for Purcha	ase Orde	er assigne	ed by the order	rer/purchaser		
		Hershey Usage:						
		Ten (10) digits must always be sent for the Stock Transport Order (STO) in the W0606. When the Stock Transport Order (STO) is less then 10 digits, leading zeros must be adde Example: 0041123456						

#### Semantics:

1. W0603 is the actual date on which shipment was made.

#### **Example:**

W06\*J\*\*20210902\*000000000\*\*4502961772

#### Pos: 040 Repeat: 10 Loop Name Mandatory Loop: 0100 Elements: N/A User Option (Usage): Must use Purpose: To identify a party by type of organization, name, and code Loop Summary: Segment Name Max Use Pos ld Req **Repeat** <u>Usage</u> 040 N1 Name Μ 1 Must use

#### Example:

N1\*ST\*HERSHEY COMPANY (THE)\*91\*0000037882 N1\*SF\*Trading Partner\*91\*1157

N1	Nan	ne			Pos: 040 Heading - Loop: 0100	Max: 1 - Mandatory Elements: 4
User Optic Purpose:		: Must use a party by type of organization, name, and co	ode			
Elemen	t Summ	ary:				
<u>Ref</u> N101	<u>ld</u> 98	<u>Element Name</u> Entity Identifier Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use
		<b>Description:</b> Code identifying an organiza individual	ational en	tity, a ph	ysical location, p	roperty or an
		Code List Summary (Total Codes: 1312, <u>Code</u> <u>Name</u> SF Ship From ST Ship To	Included	: 2)		
N102	93	Name Description: Free-form name	Х	AN	1/60	Used
N103	66	Identification Code Qualifier	х	ID	1/2	Must use
		<b>Description:</b> Code designating the system Code (67)	m/method	of code	structure used fo	or Identification
		Code List Summary (Total Codes: 215, ICodeName91Assigned by Seller or Seller's Ager		1)		
N104	67	Identification Code	Х	AN	2/80	Must use
		<b>Description:</b> Code identifying a party or of <b>Hershey Description:</b> Hershey assigned plant or customer number Ship-from segment			ned warehouse	number in

#### Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

#### **Example:**

N1\*ST\*HERSHEY COMPANY (THE)\*91\*0000037882 N1\*SF\*Trading Partner\*91\*1157

#### Hershey Usage:

Must send one segment each for Ship-from and Ship-to.

### **N9** Reference Identification

Pos: 090 Max: 10 Heading - Mandatory Loop: N/A Elements: 2

#### User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

#### **Element Summary:**

<u>Ref</u> N901	<u>ld</u> 128	Element Name Reference Identification Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use				
		Description: Code qualifying the Reference Identification								
		Code List Summary (Total Codes: 1503, Included: 1)								
		<u>Code</u> <u>Name</u>								
		OQ Order Number								
		Hershey Description:								
		Code OQ - Used for Co Man's Or	der Numbe	ər						
N902	127	Reference Identification	х	AN	1/30	Must use				
<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier										
	Hershey Description:									
Must include Co-Man's order number for cross reference to the Hershey deliver										

#### **Example:**

N9\*OQ\*0030553026

#### Hershey Usage:

Reference numbers pertaining to the entire order as a whole should be put in the header section of the transaction set. Reference numbers pertaining to individual line items should appear in the detail portion of the transaction set.

G62	Da	te/Time			Pos: 110 Headin Loop: N/A	Max: 5 g - Optional Elements: 5
User Option( Purpose: To s		Must use ertinent dates and times				
Element S	umma	ry:				
<u>Ref</u> G6201	<u>ld</u> 432	<u>Element Name</u> Date Qualifier	<u>Req</u> X	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use
		<b>Description:</b> Code specifying type of date				
		Code List Summary (Total Codes: 137, International Codes: 137, Internatina Codes: 137, International Codes: 137, International C	cluded:	1)		
G6202	373	Date	Х	DT	8/8	Must use
		Description: Date expressed as CCYYMM	DD			
G6203	176	Time Qualifier	х	ID	1/2	Must use
		Description: Code specifying the reported	time			
		Code List Summary (Total Codes: 42, InclCodeNameAActual Departure Time	uded: 1	)		
G6204	337	Time	Х	ТМ	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour cl HHMMSSD, or HHMMSSDD, where H = ho seconds (00-59) and DD = decimal seconds = tenths (0-9) and DD = hundredths (00-99)	ours (00- s; decim	-23), M =	minutes (00-59	), S = integer
G6205	623	Time Code	0	ID	2/2	Must use
		<b>Description:</b> Code identifying the time. In a Organization standard 8601, time can be sp relation to Universal Time Coordinate (UTC are substituted by P and M in the codes that	ecified ) time; s	by a + or	- and an indica	tion in hours in
		Code List Summary (Total Codes: 51, InclCodeNameCTCentral TimeETEastern Time	uded: 4	)		
		MT Mountain Time				
		PT Pacific Time				
Syntax Ru	les:					
1 R0103 -	At least	one of G6201 or G6203 is required				

- 1. R0103 At least one of G6201 or G6203 is required.
- 2. P0102 If either G6201 or G6202 is present, then the other is required.
- 3. P0304 If either G6203 or G6204 is present, then the other is required.

### Example:

G62\*11\*20210902\*A\*0000\*ET

### W27 Carrier Detail

Pos: 130 Max: 1 Heading - Optional Loop: N/A Elements: 4

#### User Option (Usage): Used

Purpose: To specify details of the transportation equipment and carrier routing details

#### **Element Summary:**

<u>Ref</u> W2701	<u>ld</u> 91	Element Name Transportation Method/Type Code	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 1/2	<u>Usage</u> Must use					
		Description: Code specifying the method of	Description: Code specifying the method or type of transportation for the shipment								
		Code List Summary (Total Codes: 71, Incl	Code List Summary (Total Codes: 71, Included: 5)								
		Code Name									
		D Parcel Post									
		H Customer Pickup									
		M Motor (Common Carrier)									
		R Rail PT Pooled Truck									
W2702	140	Standard Carrier Alpha Code	Х	ID	2/4	Must use					
		Description: Standard Carrier Alpha Code									
		Hershey Description:									
		Carrier SCAC									
W2703	387	Routing	Х	AN	1/35	Used					
		<b>Description:</b> Free-form description of the routing or requested routing for shipment, or the originating carrier's identity									
		Hershey Description:									
		Delivery Type; valid values are NL OR NCC	CR								
W2707	207	Equipment Number	0	AN	1/10	Used					
		<b>Description:</b> Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)									
		Hershey Description: Trailer Number									

#### **Syntax Rules:**

1. R0203 - At least one of W2702 or W2703 is required.

#### **Semantics:**

1. W2702 is required when W2701 equals "D", "H", "M", "R" or "PT".

#### **Example:**

W27\*M\*LCLB\*NCCR

### W10 Warehouse Additional Carrier Information

Pos: 150 Max: 10 Heading - Optional Loop: N/A Elements: 1

User Option (Usage): Not used

Purpose: To transmit shipping information and requirements

#### **Element Summary:**

<u>Ref</u>	ld	Element Name	<u>Req</u>	Type	<u>Min/Max</u>	<u>Usage</u>
W1004	225	Seal Number	0	AN	2/15	Used

Description: Unique number on seal used to close a shipment

#### **Example:**

W10\*\*\*\*123456789012345

### Loop Assigned Number

Pos: 005 Repeat: >1 Optional Loop: 0300 Elements: N/A

#### User Option (Usage): Must use

Purpose: To reference a line number in a transaction set

#### Loop Summary:

Pos	<u>ld</u>	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
005	LX	Assigned Number	0	1		Used
010	MAN	Marks and Numbers	0	>1		Used
020		Loop 0310	0		>1	Must use

#### Example:

LX\*1 MAN\*GM\*0030553026

### LX Assigned Number

Pos: 005 Max: 1 Detail - Optional Loop: 0300 Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	М	N0	1/6	Must use

Description: Number assigned for differentiation within a transaction set

### Example:

LX\*1

### MAN Marks and Numbers

Pos: 010 Max: >1 Detail - Optional Loop: 0300 Elements: 2

#### User Option (Usage): Used

Purpose: To indicate identifying marks and numbers for shipping containers

#### **Element Summary:**

<u>Ref</u>	ld	Element Name	Req	Type	<u>Min/Max</u>	<u>Usage</u>			
MAN01	88	Marks and Numbers Qualifier	Μ	ID	1/2	Must use			
		Description: Code specifying the application	on or so	urce of N	larks and Num	bers (87)			
		Code List Summary (Total Codes: 20, Included: 1)							
		Code Name							
		GM SSCC-18 and Application Identifier							
MAN02	87	Marks and Numbers	М	AN	1/48	Must use			
		Description: Marks and numbers used to identify a shipment or parts of a shipment							
		Hershey Description:							
		UCC 128# - If carton marking customer							
		Pallet ID - If stock transfer order							

#### **Example:**

MAN\*GM\*0030553026

#### Hershey Usage:

Must use if shipment is going to a carton marking customer.

### Loop Warehouse Item Detail

Pos: 020 Repeat: >1 Optional Loop: 0310 Elements: N/A

User Option (Usage): Must use

Purpose: To designate those line items that were shipped

#### Loop Summary:

Pos	ld	Segment Name	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
020	W12	Warehouse Item Detail	0	1		Must use
040	N9	Reference Identification	0	200		Used

#### Example:

W12\*CC\*\*45000\*\*LB\*\*VN\*626000001\*\*\*\*\*\*\*PL\*10 N9\*BT\*000190 N9\*DD\*55036203 N9\*LI\*190

### W12 Warehouse Item Detail

Pos: 020 Max: 1 Detail - Optional Loop: 0310 Elements: 10

User Option (Usage): Must use

Purpose: To designate those line items that were shipped

#### **Element Summary:** Ref ld **Element Name** Min/Max Usage Req Type W1201 368 Shipment/Order Status Code Μ ID 2/2 Must use Description: Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction Code List Summary (Total Codes: 102, Included: 1) Code Name CC Shipment Complete on (Date) W1202 330 0 R 1/15 Used **Quantity Ordered Description:** Quantity ordered **Number of Units Shipped** 0 R 1/10W1203 382 Must use Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set Hershey Description: Actual Quantity Shipped W1204 383 **Quantity Difference** Ο R 1/9 Used Description: Numeric value of variance between ordered and shipped quantities W1205 355 Unit or Basis for Measurement Code 0 ID 2/2 Must use Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken **Hershey Description:** Same unit of measurement received on 940 Code List Summary (Total Codes: 794, Included: 3) Code Name CA Case LB Pound PL Pallet/Unit Load W1207 235 **Product/Service ID Qualifier** Х ID 2/2 Must use Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) Code List Summary (Total Codes: 477, Included: 1) Code Name VN Vendor's (Seller's) Item Number W1208 234 **Product/Service ID** Х AN 1/48 Must use Description: Identifying number for a product or service Hershey Usage:

<u>Ref</u>	<u>ld</u>	Elem	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>			
			hey's 13-digit material number:							
		-	lanufacturer ID							
			ase Code em Version							
144047	005			V	15	0/0	<b>N</b> <i>A</i>			
W1217	235		uct/Service ID Qualifier	Х	ID	2/2	Must use			
			<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)							
		Code	e List Summary (Total Codes: 477, Included: 1)							
		Code Name								
		PL	Purchaser's Order Line Number							
W1218	234	Prod	uct/Service ID	Х	AN	1/48	Must use			
		Desc	ription: Identifying number for a produ	uct or se	ervice					
		Hers	hey Description:							
		Stock	<pre>&lt; Transport Order (STO) Line Number</pre>							
W1219	892	Line	Item Change Reason Code	0	ID	2/2	Used			
			ription: Code defining reason for any tity shipped for a line item	differen	ce betwe	en quantity ord	lered and			
			hey Description:							
		Must be used if W1204 is not 0 (zero).								
		Code	List Summary (Total Codes: 25, Incl	uded: 1	0)					
			Name							
		01	Out of Stock							
			Hershey Description:							
			Code requested is unavailable.							
		04								
			Hershey Description:		VA word at	times of chinese	t			
		07	Product Hold - Quality Assurance/Damaged/Aged at time of shipment.							
		07	Inventory Discrepancy Material Shortage							
		00	Hershey Description:							
			Distressed/Donated/Destroyed items not available.							
		09								
		13	Product Allocation Exceeded							
			Hershey Description:							
			Over-Committed Item - Demand ex scheduled to satisfy demand.	ceeds s	upply. No	o inter-facility t	ransfer			
		14	Improperly Sized Order							
			Hershey Description:							
			Space Cut. Improperly sized order, equipment.	imprope	erly sized	equipment, or	incorrect			
		16	Insufficient Equipment Space							
			Hershey Description:							
		00	Weight Cut.							
		20	Late Stock Transfer							

#### Code Name

#### Hershey Description:

Inter-facility transfer issue form Plant/Co-Pack/Co-Manufacturer/Warehouse - Product is being cut because inter-facility transfer did not arrive.

24 Product Withdrawn

#### Hershey Description:

Third Party Warehouse, service issue - All other reasons other than these specifically defined

#### Syntax Rules:

- 1. P0708 If either W1207 or W1208 is present, then the other is required.
- 2. P1718 If either W1217 or W1218 is present, then the other is required.

### Example:

W12\*CC\*\*45000\*\*LB\*\*VN\*626000001\*\*\*\*\*\*\*PL\*10

### **N9** Reference Identification

Pos: 040 Max: 200 Detail - Optional Loop: 0310 Elements: 2

#### User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

#### **Element Summary:**

<u>Ref</u> N901	<u>ld</u> 128		ent Name ence Identification Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/3	<u>Usage</u> Must use		
		Descr	Description: Code qualifying the Reference Identification						
		Code	Code List Summary (Total Codes: 1503, Included: 4)						
		<u>Code</u>	Code Name						
		BT	Batch Number						
		DD	Document Identification Code						
		LI	Line Item Identifier (Seller's)						
		ZZ	Mutually Defined						
			Hershey Description:						
			ZZ - Optional element for Stock Trai Date Code. Must use if shipment is a	•	•	· · ·	ed, it contains the		
			LI - Used for Scheduling Agreement 'J' (Original).	Line Ite	m # - On	ly required if e	element W0601 =		
			DD - Used for Scheduling Agreemen = 'J' (Original).	nt Docur	ment # - (	Only required	if element W0601		
N902	127	Refer	ence Identification	х	AN	1/30	Must use		
			<b>iption:</b> Reference information as defined by the Reference Identification Qu		a particul	ar Transactior	n Set or as		

#### Example:

N9\*BT\*000190 N9\*DD\*55036203 N9\*LI\*190

### W03 Total Shipment Information

Pos: 010 Max: 1 Summary - Optional Loop: N/A Elements: 3

#### User Option (Usage): Used

Purpose: To provide totals relating to the shipment

### **Element Summary:**

<u>Ref</u> W0301	<u>ld</u> 382	<u>Element Name</u> Number of Units Shipped	<u>Req</u> M	<u>Type</u> R	<u>Min/Max</u> 1/10	<u>Usage</u> Must use
10001	002	<b>Description:</b> Numeric value of units shippe or transaction set				
		Hershey Description:				
		Total quantity shipped (units)				
W0302	81	Weight	0	R	1/10	Used
		Description: Numeric value of weight				
		Hershey Description:				
		Total weight shipped				
W0303	355	Unit or Basis for Measurement Code	Х	ID	2/2	Used
		<b>Description:</b> Code specifying the units in w which a measurement has been taken	/hich a v	alue is b	eing expressed	d, or manner in
		Code List Summary (Total Codes: 794, Ind	cluded:	1)		
		<u>Code</u> <u>Name</u>				
		LB Pound				
Syntax R	ules:					

1. C0203 - If W0302 is present, then W0303 is required.

#### **Example:**

W03\*45000

## **SE** Transaction Set Trailer

Pos: 020 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

#### User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

#### **Element Summary:**

<u>Ref</u> SE01	<u>Id</u> 96	<u>Element Name</u> Number of Included Segments	<u>Req</u> M	<u>Type</u> N0	<u>Min/Max</u> 1/10	<u>Usage</u> Must use		
		<b>Description:</b> Total number of segments inc segments	luded ir	a transa	action set includ	ding ST and SE		
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use		
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						
Example	:							

SE\*15\*287820001